



MOTIVE DEEP CYCLE AGM

BATTERIES


SDC6-210-GC2 (6volts)



SDC SERIES - SUPERIOR CYCLYING NON SPILLABLE

6V 210Ah





General Features



- PAM/NAM amount optimization
- 4BS crystal paste mixing & curing technology
- Double layer separator technology
- Improved design electrolyte S.G.

Excellent deep cycle performance

- Plate assembly pressure re-engineering
- New PAM/NAM recipe introduced
- Gel electrolyte technology
- Rare earth alloy
- Double layer separator technology
- Lower acid filling temperature

Solve NAM sulphation

- Carbon boost technology
- Pre-sulfate technology

Im

Improved PSoC cycling

- Carbon boost technology
- Mix carbon boost technology
- Targeting for higher level through carbon technology



Less water loss

- PAM/NAM amount optimization
- New PAM/NAM recipe introduced
- Rare earth alloy



Delay PAM softening and shedding

- Plate assembly pressure re-engineering
- 4BS crystal paste mixing & curing technology
- Higher paste density



Optimize electrolyte stratification

• Introduce AGM-GEL technology



SPECIFICATIONS


Voltage	6V			
	Length	260mm(10.2 inches)	
Dimension	Width	180mm(ʻ	180mm(7.09 inches)	
	Container heigh	t 252mm(252mm(9.92 inches)	
	Total Height	274mm	274mm (10.8 inches)	
Approx Weight	27.1915202823935kg (59.9) lbs			
Terminal			DT(5/16")	
Container Material			ABS	
Reserve Capacity		25A	460min	
		56A	175 min	
		75A	120 min	
Capacity	20	HR	210Ah	
	101	HR .	200Ah	
	51	HR	175Ah	
Operating Temp. Range	Discharge	-20~55	-20~55°C (-4~131°F)	
	Charge	0~40°C (32~104°F)		
	Storage	-15~40°C (5~104°F)		

Applications


- Arial Work Platforms
- Transportation
- Floor Cleaning Machines
- Marine & Recreation Vehicles
- Solar & Renewable Energy













Relationship of OCV and State of Charge











Starmax Corporation

1585 Cliveden Avenue, Delta, British Columbia V3M 6M1, Canada

Phone: +1 888 669 1310

Email: info@starmaxbatteries.com Website: www.starmaxbatteries.com









