

RECHARGEABLE LOW SELF-DISCHARGE

BATTERIES

LONG LASTING . DURABLE . RELIABLE



Rechargeable Low Self-Discharge (LSD)

- Low self discharge rechargeable battery. No need to charge before first use. You can use Starmax low-self discharge rechargeable batteries everyday and everywhere, and it can be charged in any charger.
- Starmax low-self discharge rechargeable batteries with good performance and even in wide temperature range of -20°C to 50°C
- Starmax rechargeable batteries with 1000 cycle, environment-friendly and great savings

Applications

Batteries are formulated to provide cost-effective, re-usable power to the devices in your everyday digital life. Digital cameras, shavers, toys, gaming devices, etc.



STARMAX (LSD) (Stored 1 Year)

80%

Conventional Ni-MH Battery

*Capacity retained subject to full charge & storage condition.

STARMAX (LSD)











ALKALINE





With Starmax pre-charged rechargeable batteries, digital cameras take 4 times more shots than when using alkaline battery.



Туре	Capacity	Diameter	Height	Weight
HR6(Recyko+)	1000mAh	13.7~14.5mm	49.5~50.5mm	0.0210kg
	2000mAh	13.7~14.3111111		0.0285kg
HR03(Recyko+)	800mAh	9.8~10.5mm	43.3~44.5mm	0.0135kg
HR20	2500mAh		59.5~61.5mm	0.0645kg
	3000mAh	32.0~34.2mm		0.0670kg
	8000mAh			0.1440kg
HR14	2500mAh	24.8~25.9mm	48.6~50.5mm	0.0545kg
	3000mAh			0.0580kg
	4000mAh			0.0775kg
HR6	1300mAh	13.7~14.5mm	49.5~50.5mm	0.0228kg
	1600mAh			0.0255kg
	1800mAh			0.0265kg
	2100mAh			0.0281kg
	2200mAh			0.0305kg
	2300mAh			0.0291kg
	2400mAh			0.0296kg
	2450mAh			0.0297kg
	2600mAh			0.0297kg
	600mAh	9.8~10.5mm	43.3~44.5mm	0.0112kg
	700mAh			0.0112kg
HR03	850mAh			0.0138kg
	900mAh			0.0131kg
	950mAh			0.0136kg
HF9	170mAh	L(24.5~26.5)mm w(15.5~17.5)mm	46.5~48.5mm	0.0321kg
	200mAh			0.0350kg
	250mAh			0.0425kg

TYPE	PACK	INNER BOX	CTN	MEASUREMENT	G/W
HR20/1.2V	2B / card	12 cards	48 cards	334 x 212 x 252 mm	TBD
HR14/1.2V	2B / card	12 cards	96 cards	405 x 312 x 201 mm	TBD
HR6/1.2V	4B/card	20 cards	120 cards	313 x 308 x 200 mm	TBD
HR6/1.2V	2B/card	20 cards	160 cards	405 x 314 x 200 mm	TBD
HR03/1.2V	4B/card	30 cards	240 cards	405 x 306 x 222 mm	TBD
HR03/1.2V	2B/card	30 cards	240 cards	405 x 306 x 222 mm	TBD
HF9/8.4V	1B / card	30 cards	240 cards	401 x 308x 336 mm	TBD



















Starmax Corporation

1585 Cliveden Avenue, Delta, British Columbia V3M 6M1, Canada Phone: +1 888 669 1310

Email: info@starmaxbatteries.com Website: www.starmaxbatteries.com









