



FM FLOOR MACHINE
MOTIVE DEEP CYCLE AGM
BATTERIES

SDC6-400 (6Volts)




www.starmaxbatteries.com

SDC SERIES - SUPERIOR CYCLING NON SPILLABLE

6V 400Ah



LAYOUT



General Features

✓ Stable initial capacity

- PAM/NAM amount optimization
- 4BS crystal paste mixing & curing technology
- Double layer separator technology
- Improved design electrolyte S.G.

✓ Excellent deep cycle performance

- Plate assembly pressure re-engineering
- New PAM/NAM recipe introduced
- Gel electrolyte technology
- Rare earth alloy
- Double layer separator technology
- Lower acid filling temperature

✓ Solve NAM sulphation

- Carbon boost technology
- Pre-sulfate technology

✓ Improved PSoC cycling

- Carbon boost technology
- Mix carbon boost technology
- Targeting for higher level through carbon technology

✓ Less water loss

- PAM/NAM amount optimization
- New PAM/NAM recipe introduced
- Rare earth alloy

✓ Delay PAM softening and shedding

- Plate assembly pressure re-engineering
- 4BS crystal paste mixing & curing technology
- Higher paste density

✓ Optimize electrolyte stratification

- Introduce AGM-GEL technology



SPECIFICATIONS


Voltage		6V	
Dimension	Length	295mm(11.6 inches)	
	Width	180mm(7.09 inches)	
	Container height	406mm(16.0 inches)	
	Total Height	428mm (16.9 inches)	
Approx Weight		54.2kg (119.5) lbs	
Terminal		DT(5/16")	
Container Material		ABS	
Reserve Capacity	25A	925min	
	75A	265 min	
Capacity	20HR	400Ah	
	10HR	375Ah	
	5HR	342Ah	
Operating Temp. Range	Discharge	-20~55°C (-4~131°F)	
	Charge	0~40°C (32~104°F)	
	Storage	-15~40°C (5~104°F)	

Applications


- ✓ Arial Work Platforms
- ✓ Golf cart & Utility Vehicles
- ✓ Transportation
- ✓ Floor Cleaning Machines
- ✓ Marine & Recreation Vehicles
- ✓ Solar & Renewable Energy




Charging Profiles




Cycle Life in Relation to Depth Of Discharges



Relationship of OCV and State of Charge



Self Discharge Characteristics



The max Storage time should not be above 15 months



Starmax Corporation

1585 Cliveden Avenue, Delta, British Columbia
V3M 6M1, Canada

Phone: +1 888 669 1310

Email: info@starmaxbatteries.com

Website: www.starmaxbatteries.com

